EXTENSIONS AND ACCESSORIES CORTEX SPIROERGOMETRY

Product brochure




EXTENDING LIMITS WITH SPIROERGOMETRY

No matter what motivates and drives your test persons, push performance limits with our spiroergometry solutions.

Enhance our powerful spiroergometry systems MetaLyzer® 3B and METAMAX[®] 3B with appropriate solutions and be perfectly prepared and equipped for all applications in performance diagnostics. Ranging from the CORTEX CANOPY-Option for the METALYZER® 3B for measuring basal and resting metabolic rate via further accessories to the unique Swim Option for the METAMAX[®] 3B, you will find a broad spectrum of solutions for precise diagnostics on the following pages. Another chapter informs you about the CORTEX utilities and disposables.

Please note that this brochure contains only a part of our offer. For further information, please consult our specialized trading partners or CORTEX directly.





SYSTEM EXTENSIONS

Spirometry with the CORTEX Spirometry kit

Swim Option for MetaMax® 3B

Measurement of resting metabolic rate with the CORTEX CANOPY-Option for MetaLyzer[®] 3B

from page 4

CORTEX Bike M from page 10

CORTEX





RECON	ודאחו	IUNIC
RECUIV	DAL	CINO

Benefits through Performance Packages New in our assortment. the CORTEX

SPIROERGOMETRY AND MORE
Cardiac output
Heart rate
ECG
Blood pressure
SpO ₂ measurement
from page 1 6



MORE ACCESSORIES

Calibration kit

Sample Flow Dryer

Reusable turbine

Battery option

Equipment trolley

from page 2**2**



SOFTWARE OPTIONS

Performance Assessment Exercise Scheduler Energy Metabolism Spirometry 6-Minute-Walk-Test Pre-operative **Risk Assessment** Network Licenses HL7 Interface from page 26

SYSTEM EXTENSIONS





Spirometric examinations with an ergonomic mouthpiece

Expand your diagnosis with spirometric examinations using the practical spirometry kit and our hygienic disposable filters.

- no need to disinfect the volume transducer
- convenient handling
- compatible with MetaLyzer® 3B and MetaMax® 3B
- convenient, simple reordering system for disposable filters
- uncomplicated spirometric solution as a supplement to the spiroergometry

MAIN PRODUCTS AND CONSUMABLES

OONOONABLEO	TAILT NO.
Hand holder	010-00-100
MSS Software Option Spirometry-kit incl. Software license, hand holder and filter	606-01-001
MSS Software Option Spirometry-kit incl. hand holder and filter, without license	606-01-010
2-Safety-Pack II with in-moulded mouthpiece, 1 carton à 100 pieces	500-00-029
Nose clip	500-00-021
Software license MSS Spirometry	721-09-028

PART-NO.

SWIM OPTION FOR METAMAX[®] 3B



The spiroergometry solution for swimming*

Benefit from the performance diagnostics through spiroergometry also in swimming. With the specially developed Swim Option for METAMAX[®] 3B, CORTEX enables exact performance physiological examinations even in water.

- suitable for a flow channel, pool and open water
- ergonomically designed special snorkels for freestyle and backstroke swimming with an integrated saliva suction device and splash-water protection
- integrated heart rate module with 5 kHz technology under water and Bluetooth[®] communication over water
- waterproof, shockproof transport case
- 12-hour operating time using battery option

THE SYSTEM CONTAINS ET AL.

Carrying case

Retrieval device, portable tube/cable holder

Battery option for METAMAX[®] 3B

Sample-Flow-Dryer, special sample line and dry granules

CORTEX-HR module for swimming, wireless charger

BT Smart HR belt

Freestyle and backstroke snorkels with splash-water protection

Volume transducer, disposable turbines, nose clips

MAIN PRODUCTS AND

CUNSUMABLES	PART-NU.
CORTEX Swim Option	632-01-010
Dry granules	010-00-023
Hydrophobic filter for special sample line	010-15-161
Special sample line (Tube in Tube), 3 m	632-01-080
Freestyle/backstroke snorkel	632-14-004
Backstroke snorkel	632-14-005
Disposable turbines (1 carton)	010-15-500
Sample-Flow-Dryer	132-01-081
CORTEX HR module swim	632-20-025
MetaMax® 3B	**

* Note: use only with the METAMAX[®] 3B (R2)

** Note: detailed information can be found in our brochure METAMAX® 3B



PROFESSIONAL PERFORMANCE DIAGNOSIS FOR SWIMMING

CANOPY-OPTION FOR METALYZER[®] 3B



The extension for measuring the basal and resting metabolic rate

The CORTEX CANOPY-Option* for METALYZER® 3B makes it possible to measure the basal metabolic rate and the resting metabolic rate without the test persons being affected by the mask.

- reliable measurement according to the gold standard
- particularly suitable for long measurements (without a mask)
- easy to clean and to disinfect
- fully automatic control of the hood ventilation
- high patient safety due to the automatic alarm function

THE SYSTEM CONTAINS ET AL.

Basic	unit
Duoro	anne

Hood with veil

Tube

Bacterial- and viralfilter disposable (Pulmosafe)

MAIN PRODUCTS AND

CONSUMABLES	PART-NR.
CORTEX CANOPY option (total package)	636-01-250
CANOPY-hood	636-01-001
CANOPY-veil for hood	636-01-015
CANOPY-tube	636-00-013
Pulmosafe bacterial- & viralfilter	500-00-019
MetaLyzer® 3B	**

* Note: use only with the MetaLyzer® 3B (R3)

** Note: detailed information can be found in our brochure METALYZER® 3B

THE NEW FREEDOM IN MEASURING THE BASAL AND RESTING METABOLIC RATE



CORTEX RECOMMENDATIONS

Do you already know our new, worldwide unique disposable turbine for spiroergometry? - The hygienic solution!

To make it easier for you to choose from our constantly growing product and service portfolio, we offer you the most popular combinations as pre-configured packages.



DISPOSABLE TURBINE



The first disposable turbine worldwide for spiroergometry

The singly packaged CORTEX disposable turbines in the practical dispenser box saves you the trouble of cleaning, disinfecting and calibrating a conventional turbine. This will considerably reduce the amount of work you do between two measuring sessions, and all this takes place under the best possible hygienic conditions.

- no cleaning and disinfection necessary
- perfect hygiene
- simple handling easy to change
- no calibration necessary
- starting from 100 pieces in a convenient dispenser box
- suitable for both athletes and patients

TECHNICAL DATA

Peak flow	up to 14 l/s
Accuracy	$\pm3\%$ or 50 ml (whichever is the greater)
Inside diameter	30 mm

PART-NO

MAIN PRODUCTS AND CONSUMABLES

010-15-500
010-00-101
236-01-021
136-01-021

* Note: bulk prices for 1000 or 5000 turbines

The Service Package for high investment and planning security

The Service Package contains a stock of consumables and accessories that are meant to enable one to work as independently as possible during the first years. The warranty extension of 3 years* which is also included in the package, gives you additional planning and cost security for your projects and studies. In addition, the operating costs are significantly reduced by the package.

* Note: this can further be extended as required, see warranty extension




Performance Package METALYZER® 3B

The METALYZER® 3B Performance Package already includes the most commonly used hardware and software options in sports and preventative medicine. In addition, the package contains one calibration kit, one mask extension set and a larger stock of consumables.

Performance Package METAMAX® 3B

This package includes products contained in the Performance Package METALYZER® 3B as well as other accessories specific to the METAMAX® 3B, such as a GPS receiver, back carrying system and a stationary kit for the optimal use of the METAMAX® 3B also in the laboratory with a 2-meter long sample line and a power supply unit.

PACKAGE	METALYZER [®] 3B	METAMAX [®] 3B
Service Package	236-06-905	136-06-905
Performance Package	236-01-500	136-01-500



BENEFIT FROM OUR PERFORMANCE PACKAGES

CORTEX WARRANTY EXTENSION

CORTEX BIKE M

We provide a 2-year warranty on every CORTEX system.* With the CORTEX warranty extension, you can renew this time frame as you wish and without limitation.

CORTEX offers you attractive guarantee packages for the spiroergometry systems METALYZER® 3B (R3) and METAMAX[®] 3B (R2), graded according to the scope and term. The protection covers the free repair and troubleshooting of hardware and software as well as regular, free software updates.

Take advantage of longer terms

Choose long terms as required and profit from an attractive price graduation.

* Note: in connection with the service package of 3 years

Your benefits

- 100 % warranty directly from the manufacturer
- individual terms
- particularly attractive conditions for longer terms
- effective protection from unforeseeable repair costs
- free return of your device after repair



TERM	METAMAX [®] 3B	METALYZER [®] 3B
1 additional year	690-01-020	690-01-030
2 additional years	690-01-021	690-01-031
3 additional years	690-01-022	690-01-032

The all-rounder among the ergometers

With its simple operating concept, low boarding height and electrically adjustable seat, the CORTEX Bike M is the ideal ergometer for daily use in clinics, hospitals and training facilities.

- open, low entry
- continuous, electrical seat height adjustment
- patient weight up to 200 kg
- high stability
- LCD display with remote control, ergometry and manual operation
- large workload range (6-1000 Watts)
- optional blood pressure measurement and/or SpO



MAIN PRODUCTS AND CONSUMABLES

CONSOMABLES	FART-NO.
CORTEX Bike M	610-01-040
Automatic blood pressure measurement	610-05-051
Oxygen saturation measurement	610-05-050
Triathlon handlebar	610-00-011
Horizontal saddle adjustment	610-00-012
Quick release skewers without saddle	610-00-097

PART-NO

SPIROERGOMETRY AND MORE

The METALYZER[®] 3B and the METAMAX[®] 3B provide a very detailed picture of the cardiopulmonary efficiency.

We also offer a variety of solutions for heart rate, electrocardiography and blood pressure diagnosis to provide a broader focus. A new addition is the non-compliance-based and non-invasive cardiac output measurement.

Here you can find a small selection of suitable devices that are easily compatible with our systems. In addition, our MetaSoft[®] Studio application software provides a large number of interfaces for measuring devices of other suppliers. Please contact us for a list of all deliverable or compatible manufacturers and models.



PHYSIOFLOW® ENDURO



Non-invasive measurement of cardiac output

The PhysioFlow [®] Enduro is a high-resolution impedancecardiography device. Use this device to continuously measure cardiac output, stroke volume and ejection fraction non-invasively, non-compliance-based and without influencing the spiroergometry.

- non-invasive determination of the cardiac output
- objective findings independent of patient cooperation at rest and under load
- portable, lightweight system
- accurate assessment of the haemodynamic condition
- measurement on treadmill and ergometer



MAIN PRODUCTS AND CONSUMABLES

681-01-100
681-05-001
681-05-010
681-05-011
681-05-012

PART-NO.

- * Note: Please use only original electrodes, otherwise we shall not be able to guarantee reliable results.
- ** Note: Sensor kits are available in different packaging units. Please inquire from us.

BT SMART HR BELT



Heart rate measurement

We recommend the use of a convenient chest belt for monitoring the heart rate. The heart rate is transmitted automatically to the METAMAX[®] 3B or METALYZER[®] 3B by means of a stable and energy efficient Bluetooth[®] transmission.

- Bluetooth[®] Smart-technology and encrypted 5 kHz-signal transmission
- comprehensive connectivity to physical fitness apps and diagnostics devices
- comfortable grip by means of an elastic belt, soft materials and secure locking system
- integrated connection to the spiroergometry software

MAIN PRODUCTS	PART-NO.
BT Smart HR belt	000-45-030

CUSTO GUARD



1- or 3-channel ECG

Using the 1- or 3-channel ECG custo guard, we offer mobile electrocardiography measurement in the practical sports belt.

- energy-saving wireless transmission to MetaMax[®] 3B or MetaLyzer® 3B
- simultaneous display of spiroergometry and ECG in MetaSoft® Studio
- light weight and reliable grip, even with extreme physical activity
- waterproof

MAIN PRODUCTS	PART-NO.
3-channel ECG set	840-01-020
1-channel ECG set	840-01-021

CUSTO CARDIO 400



Resting / Stress Test ECG

An improved pacemaker detection, the new custo true wave[®] filters, a sampling rate of up to 32 kHz and the high functionality transform the custo cardio 400 into a 12-channel ECG of the latest generation.

- a sampling rate of up to 32 kHz
- data transmission via USB and Bluetooth®
- defibrillation protection for dielectric strength of 5000 V
- suction capacity of 6 steps, 0-280 mbar
- electrode check with automatic indication of quality

MAIN PRODUCTS

custo cardio 400	
Software option MSS meta control 3000	

Note: Further accessories like batteries, electrodes, suction unit etc., available on request.

CUSTO CARDIO 300



Mobile 12-channel ECG

PART-NO.

350-01-025 721-09-013

The mobile 12-channel resting/stress test ECG has integrated LEDs which give information about the signal quality.

- Sampling rate up to 32 kHz for higher resolution and improved pacemaker detection
- start/stop button for ECG recording
- battery runtime of 10 hours

MAIN PRODUCTS

PART-NO.

custo cardio 300 BT accu - ERG*	350-01-076
custo cardio 300 BT battery - ERG*	350-01-077
Patient cable for cardio 300 (clip) long	840-05-016
Software option MSS meta control 3000	721-09-013

* Note: including short patient cable



NONIN[®] PULSE OXIMETER



Determine oxygen repletion

The Nonin[®] pulse oximeter WristOx2[®] Model 3150 delivers very accurate measurements for all sorts of patient groups and attitudes. It makes it possible to carry out cardiological supervision of out-patients, wireless remote monitoring and overnight feasible studies, both in the hospital and in a private setting.

- a well-thought-out, intuitive operating concept
- Bluetooth[®] 2.0 technology with a range of up to 100 m
- measuring technology for use in clinical studies, among others
- high skin compatibility according to the guidelines (RoHS)
- extremely robust technology for intensive, long-lasting use in clinics and private households

MAIN PRODUCT	PART-NO.
Nonin [®] Pulse Oximeter	671-00-011

SUNTECH[®] TANGO M2



Automatic blood pressure measurement

The Tango M2 conceived for stress tests on the treadmill and ergometer was specifically developed to filter out signal interferences caused by movements of the test persons.

- display of the systolic reading in less than 15 seconds, or of the whole blood pressure reading within 30 seconds
- automatic communication with METAMAX[®] 3B and MetaLyzer® 3B
- close measuring intervals selectable at time-critical moments or patient emergency situations

MAIN PRODUCTS

Suntech® Tango M2
QRS-Trigger-Software custo med license
CORTEX-custo Trigger Cable Tango M2

BLOOD PRESSURE MEASUREMENT OPTION



PART-NO.

421-01-001 720-00-400 420-01-011

In conjunction with the CORTEX Bike M

You can supplement the blood pressure option* using the ergometer CORTEX Bike M. The delivery includes a standard cuff. Other cuff sizes can be obtained on request.

MAIN PRODUCT

PART-NO.

Automatic blood pressure measurement

610-05-051

* Note: only in conjunction with the CORTEX Bike M

MORE

Get a selection of accessories and accessory parts together with their respective order numbers from here.

Some products are available in specific countries and in different sizes, configurations and with different features. Please contact us about our entire product range and all delivery options.

CALIBRATION KIT PROFESSIONAL



The complete calibration solution

A complete set for the calibration of gas and volume flow sensors of all CORTEX spiroergometry devices, meant to guarantee optimal functionality of the systems.

- calibration gas syringe, 31
- calibration gas bottle
- gas-on-demand valve with adapter
- carrying case, calibration gas bottle holder

MAIN PRODUCTS

Calibration Kit Professional with carrying case
Calibration gas bottle
Calibration syringe 3 I
Gas-on-demand-valve

PART-NO. 010-01-793

010-00-005 010-00-083

010-01-898

SAMPLE FLOW DRYER



Reducing humidity in the breathing air

The accuracy of measurement is influenced by high humidity such as the one experienced in tropical or cold regions and in applications in swimming. To guarantee accurate measurement also under these conditions, the Sample Flow Dryer dries the inhaled air with the help of dry granules before it is analyzed by the sensors.

MAIN PRODUCTS	PART-NO.
 Sample-Flow-Dryer	136-01-081
Dry granulate	010-00-023
Sample line for Sample Flow Dryer, 60 cm	136-01-026
Special sample line for Swim Option, 3 m	632-01-080

REUSABLE VOLUME TURBINE



The reusable alternative to the disposable turbine

Use the volume turbine for stable and reliable measurement results in daily medical care and sports or also under extreme environmental test conditions, both indoors and outdoors.

- conceived for patients, amateur athletes and top athletes
- precise nano-production for stable and reliable test results
- suitable for all common disinfectants
- designed for MetaMax[®] 3B and MetaLyzer[®] 3B

TECHNICAL DATA

Peak flow	≤ 20 I/s
Accuracy	± 2 %
Inside diameter	28 mm

MAIN PRODUCTS	PART-NO.	
Electronic assembly for METAMAX [®] 3B (R2)	136-01-007	
Electronic assembly for MetaLyzer® 3B (R3)	236-01-013	
Sieve	010-15-146	

BATTERY OPTION FOR METALYZER[®] 3B

Be independent of the power grid

With the battery option, you are completely self-sufficient from the power supply during operation. Simply leave the device switched on if you would like to transport it from patient to patient without having to restart and recalibrate it every time. The battery option also prevents you from losing measured data in case of power failure, saving you the need to re-prepare the device and patient for testing.

MAIN PRODUCTS

METALYZER[®] 3B with battery option Retrofit set for battery option

CORTEX MOBILE PLUS

All devices in a practical trolley

The CORTEX mobile PLUS trolley offers sufficient space for all the testing and computer accessories. Apart from the spiroergometry device, the option enables the conveniently storing of one or two TFT screens, a computer and all other necessary accessories.

- large drawer for small components and consumables with kink protection for cables
- cable conduit integrated into the device column
- calibrating bottle and pump fixed under the drawer
- dual or single monitor mount

MAIN PRODUCTS AND CONSUMABLES

OUNCOMADELO	TAILT NO.
Trolley CORTEX mobile PLUS with 19' TFT dual monitor bracket *	821-01-030
Trolley CORTEX mobile PLUS with 19' TFT single monitor bracket *	821-01-031
Printer shelf	821-00-030
Tray for MetaMax [®] 3B	821-01-015

PART-NO

* Note: different country-specific versions available

PART-NO.


236-01-720


On request

METASOFT® STUDIO SOFTWARE OPTIONS

Like no other application software, MetaSoft® Studio combines the complexity of spiroergometric examinations with an extremely intuitive user interface.

With its versatile software options, daily test routines can be designed even more comfortably. If the focus is on the fast and reliable analysis of the medical data, the possibilities of using the Wasserman interpretation help, among others, or pre-operative risk assessment are useful options.









	2,39L/min	
1.00 1.00 34 10 30	2,69L/min	
131	Werte an VT1	
Carial	Einheit	Wert
	L/min	1,6
(D	ml/min/kg	2
ŧF	m	1
	/min	17
	w	13
02		21,
002		25,
		0,8
	L/min	39,
	U.	2,1
	fmin	1
carnn nich	t bestimmt werden:	

Unspecifieche Onten, keine Abschützung möglich Umpezifische Onten, abgeschützt wahrscheinlich

MSS PERFORMANCE ASSESSMENT



Effective training with the help of accurate training areas

The software option CORTEX MSS Performance Assessment identifies optimal training areas using established indicators (among others VT1, VT2, VO2 max, HRmax). On this basis, individualized heart rate training areas can be determined for different load phases and training goals.

- determination of individual heart rate training areas
- individual zone models can be generated
- accurate determination of VT1 and VT2 (AT and RC)
- manual adjustment of thresholds and training zones possible

MSS EXERCISE SCHEDULER



Enter concrete training guidelines

The CORTEX MSS Exercise Scheduler transfers the results of the MSS Performance Assessment into a graphic training plan which is organized like a time table. Based on the previously established performance level, defined framework conditions like training goal, load increase, frequency and type of sports activity, training plans are generated in the micro, meso and macro cycle.

- clear training plans in the micro, meso or macro cycle
- reference training plans for numerous sports types, prevention and rehabilitation measures
- motivation through clear training plans
- designing of personal training plans

MSS ENERGY METABOLISM FOR CPET



Optimize fat and carbohydrate combustion

MSS Energy Metabolism measures the individual energy metabolism, the combustion of fats and carbohydrates with increasing loads, and establishes the optimal heart rate zones for improved economization of the metabolism.

- determination of the increasing energy metabolic rate with increasing load
- determination of fat and carbohydrate combustion
- determination of individual heart rate zones for optimal energy burning and training effects
- motivation of patients through clear evaluations and reporting functions

MSS BASAL AND RESTING METABOLIC RATE



Determine the exact energy metabolic rate individually

As a reliable basis for a controlled calorie intake, e.g. in the context of a recommended nutritional plan, an accurate and individual determination of the resting or basal metabolic rate is imperative. This option measures the individual energy metabolic rate in a secure, intuitive and valid way.

- determination of the individual basal and resting metabolic rate with a mask or the CANOPY
- separate representation of energy, carbohydrate and fat consumption
- motivation of patients through clear evaluations and reporting functions

MSS SPIROMETRY



Perform a pulmonary function test

All CORTEX spiroergometry systems can also be used as spirometers. The software option MSS Spirometry offers VC. FVC and MVV tests as well as numerous other measurement, calculation and comparison options.

MSS 6-MINUTE-WALK-TEST

The 6-minute-walk-test is an approved method for the evaluation of COPD as well as for therapy control in rehabilitation. With our software option the advantages of spiroergometry are added to the system. Do not only measure the cardiopulmonary reaction of the test persons directly during the 6 minute walk test, but also compare it with the results of classical spiroergometry.

MSS PRE-OPERATIVE **RISK ASSESSMENT**

This license contains a module in which the assessor is guided through a partially automatic interpretation of results which is especially designed with pre-operative risk assessment in mind.

Make easier decisions on operative risks from a patient and get more certainty for planned interventions.

MSS NETWORK LICENSE BASIS



The MSS network license basis allows you to install the software on as many workplaces as required with one common database. Up to 3 users can work with the software simultaneously.

MSS NETWORK-EXTENSION

The MSS Network Extension allows you to increase the number of simultaneous accesses to the network version of MetaSoft[®] Studio.

MSS HL7 INTERFACE


The MSS HL7 Interface option provides you with extensive configuration options for connecting to a hospital information system. Please note that special effort can be calculated for setting up the interface.


SOFTWARE OPTION

MSS Performance Assessment MSS Exercise Scheduler MSS Energy Metabolism for CPET MSS Basal and Resting Metabolic Rate MSS Spirometry MSS Network License Basic MSS Network License Extension MSS 6-Minute-Walk-Test MSS HI 7 Interface MSS Pre-operative Risk Assessment

PART-NO.

721-09-020
721-09-021
721-09-022
721-09-023
721-09-028
721-09-011
721-09-008
721-09-035
721-09-029
721-09-025





The entire spectrum of spiroergometry

Configure your CORTEX spiroergometry system according to your individual requirements. You have a great variety of options and performance packages at your disposal.

	PhysioFlow/BD/SpO ₂	Software Options	Accessories & Spare Parts
ensor (p. 20) ard (p. 20) lard (p. 20) 00 (p. 21) 0 interface 00 (p. 21) 0 interface	 PhysioFlow (p. 19) PhysioFlow license PhysioFlow electrodes PhysioFlow cable bag batteries charger PhysioFlow electrodes (p. 19) for 50 tests 	 MSS Energy Metabolism for CPET (p. 30) MSS Performance Assessment (p. 29) MSS Exercise Scheduler MSS Pre-operative Risk Assessment (p. 32) MSS Interpretation Assistant by Wasserman 	 face masks pediatric 1 pediatric 2 petite XS S M L head cap adapter for face mask
les custo med les blue sensor	 for 200 tests Tango M2 for use with custo med (p. 23) 	 EOV Detection PhysioFlow License MSS Spirometry (p. 31) 	sample line 0.6 m 2 m
terface	 Custo trigger cable QRS trigger software license Tango M2 with ECG module (p. 23) 	 MC3000 Interface (custo med) 12-lead ECG Interface MSS Basal- & Resting Metabolic Rate (p. 31) MSS HL7 Interface Activation 	 turbine with sieve - reusable (p. 26) turbine - disposable (p. 13) 100 pieces 500 pieces
1	Onin wrist 0x2 3150 (p. 22)	License (p. 33) MSS Network License Basic (p. 32) MSS Network License Extension	 O2 sensor METALYZER® 3B O2 sensor METAMAX® 3B bacterial filter spirometry
			 PhysioFlow electrodes (p. 19) o for 50 tests o for 200 tests ECG electrodes custo med ECG electrodes blue sensor

The whole spectrum of spiroergometry

Visit our website www.cortex-medical.com and get to know the entire product range. Or ask for further brochures on other products. In addition to our mobile and portable spiroergometry solutions, we also offer customized solutions. Share your ideas with us! stamp:



Would you like to know more about CORTEX and our products? Get in touch with us! Tel.: +49 341 487 49-0 or on e-mail: sales@cortex-medical.com

CORTEX Biophysik GmbH Walter-Köhn-Straße 2 d | 04356 Leipzig, Germany | info@cortex-medical.com | www.cortex-medical.com